ELSEVIER

Aquaculture 159 (1997) 355–357

Aquaculture

Contents of *Aquaculture*, Volume 159

VOL. 159 NOS. 1, 2 **30 DECEMBER 1997**

Publisher's Note v

Diseases, parasites and predators

Diagnosis of structural changes in fish gills— can biopsy replace necropsy?
B.F. Nowak and C.T. Lucas (Launceston, Tas., Australia) 1

Husbandry and Management

Inducing detachment of silver-lip pearl oyster (*Pinctada maxima*, Jameson) spat from collectors
J.J. Taylor (Ludmilla, NT, Townsville, Qld., Australia), R.A. Rose (Ludmilla, NT, Australia) and P.C. Southgate (Townsville, Qld., Australia) 11

The influence of turbidity on larval walleye, *Stizostedion vitreum*, behavior and development in tank culture
P.W. Rieger and R.C. Summerfelt (Ames, IA, USA) 19

The use of simple models in the regulation of the impact of fish farms on water quality in Scottish sea lochs
P.A. Gillibrand and W.R. Turrell (Aberdeen, UK) 33

Acute toxicity of ivermectin to the lugworm *Arenicola marina*
J.E. Thain (Essex, UK), I.M. Davies (Aberdeen, UK), G.H. Rae (Perth, UK) and Y.T. Allen (Essex, UK) 47

Epiphytic invertebrate assemblages and dichlorvos usage at salmon farms
D.J. Murison, D.C. Moore, J.G. McHenery (Edinburgh, UK), N.A. Robertson and I.M. Davies (Aberdeen, UK) 53

Nutrition

Comparison of triacylglycerols, esterified and free fatty acids as neutral lipid sources in the diet of the prawn *Penaeus monodon*
B.D. Glencross (St. Lucia, Qld., Australia) and D.M. Smith (Cleveland, Qld., Australia) 67

Free lysine (L-lysine · HCl) is utilized for growth less efficiently than protein-bound lysine (soybean meal) in practical diets by young channel catfish (*Ictalurus punctatus*)
D.D. Zarate and R.T. Lovell (Auburn, AL, USA) 87

Amino acid and fatty acid profiles of four species of macroalgae from Aqaba and their suitability for use in fish diets
M.I. Wahbeh (Amman, Jordan) 101

Changes in the nutrient composition of *Tetraselmis suecica* cultured semicontinuously with different nutrient concentrations and renewal rates
A. Otero and J. Fábregas (Santiago, Spain) 111

Physiology and Endocrinology

Effects of exposure to extended photoperiods during the first winter on long-term growth and age at first maturity in turbot (*Scophthalmus maximus*)
A.K. Imsland, A. Folkvord, Ó.D.B. Jónsdóttir and S.O. Stefansson (Bergen, Norway) 125

Evidence for the differential regulation of ovarian follicle responsiveness to human chorionic gonadotropin in vitro in a serranid teleost, *Centropristis striata*
J. Cerdà (St. Augustine, FL, USA), K. Selman (St. Augustine, FL, Gainesville, FL, USA), S.-M. Hsiao (St. Augustine, FL, USA) and R.A. Wallace (St. Augustine, FL, Gainesville, FL, USA). . . . 143

Effects of short term management stress on the ability of GnRHa to induce gonadotropin secretion in male white sturgeon, *Acipenser transmontanus*
I.N. Faulkner and G.P. Moberg (Davis, CA, USA) 159

Guide for Authors. 169

VOL. 159 NOS. 3, 4 **1 JANUARY 1998**

Nutrition

Apparent protein digestibility and mineral availabilities in various feed ingredients for salmonid feeds
S.H. Sugiura, F.M. Dong, C.K. Rathbone and R.W. Hardy (Seattle, WA, USA) 177

Purification and characterization of several digestive proteases from the blue abalone, *Haliotis fulgens*
A. Hernández-Santoyo (Coyoacán, México), A. Hernández-Arana (Iztapalapa, México), R. Arreguín-Espinosa and A. Rodríguez-Romero (Coyoacán, México) 203

Pigmentation of Atlantic salmon (*Salmo salar*) fed astaxanthin in all meals or in alternating meals
E. Wathne (Dirdal, Norway), B. Bjerkeng, T. Storebakken, V. Vassvik (Sunndalsøra, Norway) and A.B. Odland (Dirdal, Norway). 217

Ascorbic acid availability from ascorbyl 2-polyphosphate and ascorbyl 2-sulfate in sea bass (*Dicentrarchus labrax*)
M. Amerio, C. Ruggi, R.M. Rovelli (Piacenza, Italy) and L. Völker (Basel, Switzerland) 233

Husbandry and Management

Sensitivity of fertilized milkfish (*Chanos chanos* Forsskal) eggs to mechanical shock and simulated transport
G.V. Hilomen-Garcia (Tigbauan, Philippines) 239

Seasonal variations in the meat weight, condition index and biochemical composition of mussels (*Mytilus edulis* L.) in suspended culture in two Scottish sea lochs
İ. Okumuş (Trabzon, Turkey) and H.P. Stirling (Stirling, UK) 249

Detachment and grading of the tropical sea cucumber sandfish, *Holothuria scabra*, juveniles from settlement substrates
S.C. Battaglene and J.E. Seymour (Honiara, Solomon Islands). 263

Successful reproduction of *Penaeus monodon* following hypersaline culture
W.A. Bray and A.L. Lawrence (Port Aransas, TX, USA) 275

Insulating properties of styrofoam boxes used for transporting live fish
R. Froese (Makati City, Philippines). 283

Genetics and Breeding

Genotypic effects on comparative growth performance of all-male tilapia *Oreochromis niloticus* (L.)
P.A. Tuan, D.C. Little (Bangkok, Thailand) and G.C. Mair (Swansea, UK) 293

The application of microsatellite markers to breeding programmes in the sea bass, *Dicentrarchus labrax*
F.J. Garcia de Leon (Montpellier, Sète, France), M. Canonne (Palavas-les-Flots, France), E. Quillet (Jouy en Josas, France), F. Bonhomme (Montpellier, Sète, France) and B. Chatain (Palavas-les-Flots, France) 303

A multiperiod programming evaluation of brackishwater shrimp aquaculture development in Indonesia 1989/1990–1998/1999
T. Kusumastanto, C.M. Jolly and C. Bailey (Auburn, AL, USA). 317

Structure and polymorphism of ribosomal RNA genes in the marine shrimp *Penaeus vannamei*
J.C. Bagshaw and J.A. Quiel E. (Worcester, MA, USA) 333

Diseases, Parasites and Predators

Attack site and resultant damage during aggressive encounters in Atlantic salmon (*Salmo salar* L.) parr
J.F. Turnbull (Stirling, UK), C.E. Adams (Glasgow, UK), R.H. Richards and D.A. Robertson (Stirling, UK). 345

Contents of Aquaculture, Volume 159 355

Guide for Authors. 359